

# NAPOLEON®

CHARCOAL SERIES

EXPERTS IN GAS & INFRARED GRILLING



# CHARCOAL PROFESSIONAL PRO605CSS

Cooking Area: 5440 cm<sup>2</sup>



# CHARCOAL KETTLE NK22CK-L

Cooking Area: 2340 cm<sup>2</sup> / Diameter: 57 cm



## OVEN-LIKE PERFORMANCE

Napoleon's LIFT EASE™ roll top lid tucks neatly back giving you more space on your patio or deck. The tightly sealed lid will not be compromised by prevailing winds. Maximum heat is retained in the streamlined, double-walled lid for oven-like performance.

## STAINLESS STEEL TOOLSET HANGER

Custom and convenient, this tool hanger perfectly fits around the edge of the Napoleon® charcoal kettle. Now your favourite grilling accessories are within a seconds reach while you grill and entertain.





# PRO CHARCOAL CART NK22CK-C

Cooking Area: 2340 cm<sup>2</sup> / Diameter: 57 cm



# PRO CHARCOAL LEG PRO22K-LEG

Cooking Area: 2340 cm<sup>2</sup> / Diameter: 57 cm



## ACCU-PROBE™ TEMPERATURE GAUGE

Safely and instantly read the internal temperature of your grill with the lid closed. This thermometer has a wide temperature measurement range from 0° to 370°C (0° to 700°F) and includes the ideal smoking and searing range.

## CHARCOAL FLAVOUR FROM YOUR GAS GRILL

Napoleon's optional charcoal tray is designed to let you add the fun & flavour of charcoal any time, on your Napoleon® gas grill. Simply replace sear plates with the charcoal tray, add charcoal and light with your gas burner.



# APOLLO SMOKER AS300K

Cooking Area: 3032 cm<sup>2</sup> / Diameter: 48 cm



## MEAT/FISH HOOKS

Ribs, sausage, whole fish or long cuts of meat can be hung easily in the smoking chamber. The access doors make it easy to add wood chips or charcoal without removing the lid.



SPECIFICATIONS	PRO605CSS	NK22CK-C	PRO22K-LEG	NK22CK-L	AS300K
LIFT EASE™ roll top lid	S	-	-	-	-
*Lid colour	ss	bk	bk	bk	bk
ACCU-PROBE™ temperature gauge	S	S	S	S	S
Exclusive removable rear charcoal rotisserie burner	S	-	-	-	-
Plated cooking grids	-	-	-	S	S
Cast iron WAVE™ cooking grids	S	S	S	-	-
Warming rack	S	-	-	-	-
EASY ROLL™ locking casters	S	S	-	-	-
Folding side shelf	-	S	-	-	-
Built-in lid hanger	-	-	-	S	-
Ergonomic hinged lid	-	S	S	-	-
Cool Touch handle	-	-	-	S	-
Removable heavy steel ash catcher	-	S	S	S	-
Stainless steel heat diffuser	-	S	S	S	-
Weather proof wheels	-	-	S	S	-
Adjustable charcoal bed	S	-	-	-	-
Easy access doors	S	-	-	-	S
Air vents	S	S	S	S	S
Stackers (also available separately for add-ons)	-	-	-	-	S
President's Limited Lifetime Warranty	S	S	S	S	-
ACCESSORIES	PRO605CSS	NK22CK-C	PRO22K-LEG	NK22CK-L	AS300K
Commercial quality rotisserie kit – 4 Forks	0	-	-	-	-
Heat resistant gloves	0	0	0	0	0
Drip Trays	0	0	0	0	0
Charcoal starter	0	0	0	0	0
Toolset hanger	-	-	0	0	-
Charcoal baskets	-	S	0	0	-
Heavy duty cover	0	0	0	0	0
DIMENSIONS	PRO605CSS	NK22CK-C	PRO22K-LEG	NK22CK-L	AS300K
Total width in inches (cm)	171 cm	113 cm	59 cm	60 cm	50 cm
Total depth in inches (cm)	63 cm	72 cm	72 cm	70 cm	50 cm
Total height in inches (cm) lid open/lid closed	125 cm / 151 cm	106 cm / 152 cm	103 cm / 162 cm	110 cm	120 cm

S = standard O = optional \*Lid Colours: ss = stainless steel, bk = black



# ACCESSORIES



70006 – Wireless Digital Thermometer



67800 – Charcoal Starter



56003 – Cast Iron Skillet



55100 – Charcoal Kettle Tool Hanger



70012 – Professional 5 pce Tool set



70003 – Pizza Spatula



62008 – Large Drip Pans



Covers for all models



Exim International (Australia) Pty Ltd  
 24 Harrington Street,  
 Arundel Industrial Park  
 Arundel, Queensland  
 Australia 4214

Ph: +61 (07) 5630 6837  
 Email: info@napoleongrills.com.au  
 napoleongrills.com.au

Authorized Dealer



ADBRL-EX 07/2014

Approved by Intertek Testing Services to CE standard EN498 or to SAI standard AS 4557:2004/AS 2658:2008 (pending 2014). All specifications and designs are subject to change without prior notice due to ongoing product improvements. Consult your owner's manual for complete installation and operating instructions and check all local and national Building Codes and Regulations. Not all features available on all models. Napoleon® is a registered trademark of Wolf Steel Ltd. Images and colors may not be exactly as shown.

